

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 08 2004

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUL 08 2004 under 71437

The applicant **GARY K. ESTES** hereby make application for permission to change the **POINT OF DIVERSION, PLACE AND MANNER OF USE OF A PORTION** of water heretofore appropriated under **PERMIT NO. 25971 (CERTIFICATE NO. 9026)**

1. The source of water is **AN UNDERGROUND SOURCE**
2. The amount of water to be changed **1.0 AFA WITH A PROPORTIONATE SHARE OF DIVERSION RATE**
3. The water to be used for **COMMERCIAL**
4. The water heretofore permitted for **QUASI-MUNICIPAL**
5. The water is to be diverted at the following point **THE SW $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 8, T20N, R19E, M.D.M., OR AT A POINT FROM WHICH THE NW CORNER OF SECTION 8 BEARS N 26°53'13" W, A DISTANCE OF 2587.24 FT. REFER TO SUPPORTING MAP FILED WITH THIS APPLICATION.**
6. The existing permitted point of diversion is located within **SW $\frac{1}{4}$ NW $\frac{1}{4}$ OF SECTION 8, T20N, R19E, M.D.M., OR AT A POINT FROM WHICH THE NW CORNER OF SECTION 8 BEARS N 26°53'13" W, A DISTANCE OF 2587.24 FT. REFER TO SUPPORTING MAP FILED WITH THIS APPLICATION.**
7. Proposed place of use **WITHIN THE SW $\frac{1}{4}$ NW $\frac{1}{4}$ AND THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ OF SECTION 8, T20N, R19E, MDM, APN NO. 082-101-20, CONTAINING 3.0 ACRES.**
8. Existing place of use **WITHIN THE W $\frac{1}{2}$ NW $\frac{1}{4}$ AND THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ OF SECTION 15, T20N, R19E, MDM. REFER TO SUPPORTING MAP FILED UNDER PERMIT NO. 25971.**
9. Use will be from **JANUARY 1 to DECEMBER 31** of each year.
10. Use was permitted from **JANUARY 1 to DECEMBER 31** of each year.
11. Description of proposed works **DRILLED WELL WITH PUMP AND TOTALIZING METER.**
12. Estimated cost of works **UNKNOWN**
13. Estimated time required to construct works **TWO (2) YEARS**
14. Estimated time required to complete the application of water to beneficial use **FIVE (5) YEARS**

15. Remarks: WATER TO BE USED FOR COMMERCIAL PURPOSES WITHIN A MINI STORAGE OPERATION.

By SUZAN L. FERGUSON - AGENT
s/Suzan L. Ferguson
SUMMIT ENGINEERING - 5405 MAE ANNE AVE.
RENO, NEVADA 89523

Compared sg/ cmf lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 25971, Certificate 9026 is issued subject to the terms and conditions imposed in said Permit 25971, Certificate 9026 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 71437 and 71438 shall not exceed 1.0 acre-feet.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0036 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 27, 2007

Proof of completion of work shall be filed on or before:

July 27, 2007

Water must be placed to beneficial use on or before:

June 27, 2009

Proof of the application of water to beneficial use shall be filed on or before:

July 27, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 27th day of June A.D. 2005


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____